

### Nothe Fort Evacuation Experience – Risk Assessment

Activity	Level	Risk	Control Measure
<p>Walking to the Fort along Horse ford Road and Barrack Road</p> <p>Suggestion: walk via the gardens from Brewers Quay car park</p>	Low	Narrow road, parked cars, low level traffic, limited pavement in upper Barrack Road near Nothe Gardens.	Pupils to walk through Nothe Gardens. At all times pupils to be tightly supervised when walking through Nothe Gardens and Barrack Road
Accessibility	Low	All area for this experience are accessible by wheel chair.	Caution needs to be taken and pupils need to be accompanied.
Village Hall	Low	Steep steps, slippery when wet. Risk of slipping on stairs to magazine level. Ramp access to Hall Lift available for wheelchair and limited mobility access.	Children to be advised to walk carefully in single file and hold hand rail.
Air Raid Shelter Activity	Low	<p>Injury through tripping on gravel during air raid shelter activity.</p> <p>Enclosed space in shelter. Fear of Claustrophobia.</p> <p>Risk of teachers and other adults banging head on entry and exit from the air raid shelter.</p> <p>Risk of being splashed by water during use of stirrup pumps, running (to the back of a line) involved</p>	<p>Activity supervised to ensure pupils behave in a manner than reduces the risk of tripping.</p> <p>Any pupil not comfortable with shelter can remain outside supervised during this activity</p> <p>Instruction in the appropriate use of the stirrup pump to be given.</p> <p>Appropriate shoes</p>
Washing/Kitchen	Low	<p>Risk of injury when mangle is being used</p> <p>Risk of injury through the handling of irons</p> <p>Contact with water splashes</p>	<p>Pupils to be supervised to ensure that they stand away from the mangle. Pupils warned to keep their fingers clear of rollers.</p> <p>Pupils to handle the irons over the top of the table under supervision</p> <p>Children warned to stand back from the demonstration</p>

Weymouth at War	Medium	Winding Step Staircase. Some low displays all have safety glass installed. Morrison Shelter has strong metal Frame. Pupils could bang their heads on entry and exit.	Children warned to take care on stairs and to hold hand rail and not lean on display cases.
Ghost Passage	Low	Dark narrow passageway, dimly lit and damp musty smell.	Proceed with caution and do not run. Option to avoid given.
School	Low	Injury through the use of pen nibs. Old metal framed desks.	Children to be instructed in the correct use of pens and take care when moving around the desks.
WW2 Shop	Low	Ramp on entry. Old 1940s cash register.	Take care not to slip and follow instructions when using cash register.
General	Low	Uneven surfaces, steps, narrow passageways. Trip & Slip hazards around the Fort.	Be Aware of signs and supervise children at all times.
General	Low	Risk of Fire in the Fort.	All members of the group to be given instruction on procedures to be followed in the event of a fire
General	Low	First Aid Required.	All schools to have qualified first aiders present during visit.
General	Low	Children becoming lost whilst moving from one activity to another	Teacher to remain with each group and supervise.